



ZONE REV	DESCRIPTION	DATE	APPROVED

25AG2 TOP SECTION SHOWN.
VARIOUS TOP SECTIONS AVAILABLE
DEPENDING ON APPLICATION.

NOTES:

- 1.) MOUNT SHOULD ONLY BE USED ON A FLAT SUPPORTING SURFACE.
- 2.) ALL ANTENNA INSTALLATIONS SHOULD BE GROUNDED BY THE INSTALLER TO MEET ALL APPLICABLE CODES.
- 3.) TO INSURE SAFETY, NO INSTALLATION SHOULD BE ATTEMPTED WITHOUT A LOCAL PROFESSIONAL STRUCTURAL ANALYSIS.
- 4.) INSPECT MOUNT AND ANTENNA INSTALLATION EVERY 6 MONTHS (OR AFTER EVERY STORM) FOR TIGHTNESS.
- 5.) IT IS THE INSTALLER'S RESPONSIBILITY TO VERIFY THAT HIS INSTALLATION IS ADEQUATE TO WITHSTAND ALL LOADS IMPOSED BY THIS MOUNT AND ANTENNA. *
- 6.) LOCAL ZONING AND/OR BUILDING CODES AND INSURANCE COMPANIES MAY REQUIRE ARCHITECT OR STRUCTURAL ENGINEERING APPROVAL PRIOR TO INSTALLATION.
- 7.) IT IS THE INSTALLERS RESPONSIBILITY TO VERIFY THAT CONNECTION BOLTS AND ROOF / SUPPORTING STRUCTURE IS CAPABLE OF SUPPORTING ALL LOADS CREATED BY ANTENNA, TOWER AND BASE. *
- 8.) REFER TO DWG A871266 FOR MAXIMUM TOWER HEIGHTS AND ALLOWABLE ANTENNA AREAS.

* MINIMUM FASTENING SYSTEM REQUIREMENTS PER BOLT.

SHEAR	1000 lb. MIN
TENSION	4000 lb. MIN

DESCRIPTION 25G SELF SUPPORTING BASE PLATE	
THIS DRAWING IS THE PROPERTY OF ROHN. IT IS NOT TO BE COPIED, TRACED, OR REPRODUCED IN ANY FORM WITHOUT OUR WRITTEN CONSENT.	DATE: 7/29/99 DRAWN BY: DJL
ALL DIMENSIONS ARE GIVEN IN INCHES. TOLERANCES ARE AS GIVEN BELOW UNLESS NOTED OTHERWISE. DECIMAL: ±0.063" ANGLES: ±2°	CHECKED BY: DLB APPROVED:
MATERIAL DESCRIPTION	SCALE: 0.15" = 1'-0" DWG. FILE NO.: 4372
FINISH: HDG	SIZE: B ILLUSTRATION:
WEIGHT:	PART NO.: 8990924 REV: 0